

食物事故報表 Food Incident Post



Heading	The U.K. Food Standards Agency (FSA) – Recall of two Chicken Salad products in UK by Tesco because <i>Campylobacter</i> has been found in the products.
The incident	<p>FSA issued a notice regarding a recall of two Chicken Salad products in UK by Tesco because <i>Campylobacter</i> has been found in the products.</p> <p>Products being recalled:</p> <ul style="list-style-type: none"> ● Product: Tesco Chicken Salad Pack size: 160g 'Use by' date: 12/07/2017 and 13/07/2017 ● Product: Tesco Chicken, Broccoli, Almond & Cashew Nut Salad Pack size: 315g 'Use by' date: 12/07/2017 and 13/07/2017 ● No other Tesco products are known to be affected <p>Details of products being recalled are listed in the FSA website.</p>
Source	<p>FSA website</p> <p>https://www.food.gov.uk/news-updates/news/2017/16342/tesco-recalls-chicken-salad-campylobacter-in-products</p>
Position of CFS	<ul style="list-style-type: none"> • Information on product distribution outside U.K. is not available from the FSA website. CFS is investigating whether the affected batches have been imported to Hong Kong and is contacting the relevant authority for further information. Preliminary investigation did not identify local sale or import of the affected products. • Acquisition of the products through online purchase or international travel cannot be excluded.

食物事故報表 Food Incident Post



	<ul style="list-style-type: none"> • Consumers should discard the products and not consume them. • CFS will remain vigilant and monitor for any new development and take appropriate actions when necessary. • Investigation by CFS is ongoing. • <i>Campylobacter</i> spp. contain different species and subspecies, of which the most frequently reported in human disease is <i>C. jejuni</i>, and less commonly <i>C. coli</i>. These and the other campylobacters are widely distributed in most warm-blooded animals such as poultry, cattle, pigs, sheep and dogs. The most common symptoms of <i>Campylobacter</i> infection include diarrhoea, which may be watery or sticky and can contain blood, abdominal pain, fever, headache, nausea, and/or vomiting. Food poisoning caused by <i>C. jejuni</i> generally lasts for 2-10 days.
Additional information	NA

Posted on: 13 July 2017