

食物事故報表 Food Incident Post



| | | | | | | | | | | | | | | | | | |
|---------------------|--|-----------------|--|-----------|--------------------|------------|------------------|-------------|------------|--------------|--|-----------|--------------------|------------|---------------------------|-------------|------------|
| Heading | The UK Food Standards Agency (FSA) – A notice regarding a recall of IRN-BRU Regular and IRN-BRU 1901 750ml glass bottles in the United Kingdom by AG Barr due to a manufacturing fault which may cause bottle caps to pop off unexpectedly. | | | | | | | | | | | | | | | | |
| The incident | <p>The UK FSA issued a notice regarding a recall of IRN-BRU Regular and IRN-BRU 1901 750ml glass bottles in the United Kingdom by AG Barr due to a manufacturing fault which may cause bottle caps to pop off unexpectedly.</p> <p>Recalled products:</p> <table border="1" data-bbox="375 1055 1348 1444"> <tr> <td colspan="2">IRN-BRU Regular</td> </tr> <tr> <td>Pack size</td> <td>750ml Glass Bottle</td> </tr> <tr> <td>Batch code</td> <td>C2 2083, C2 2084</td> </tr> <tr> <td>Best before</td> <td>March 2023</td> </tr> </table> <table border="1" data-bbox="375 1491 1348 1881"> <tr> <td colspan="2">IRN-BRU 1901</td> </tr> <tr> <td>Pack size</td> <td>750ml Glass Bottle</td> </tr> <tr> <td>Batch code</td> <td>C2 2082, C2 2087, C2 2088</td> </tr> <tr> <td>Best before</td> <td>March 2023</td> </tr> </table> <p>Details of products being recalled are listed in the website of the FSA.</p> | IRN-BRU Regular | | Pack size | 750ml Glass Bottle | Batch code | C2 2083, C2 2084 | Best before | March 2023 | IRN-BRU 1901 | | Pack size | 750ml Glass Bottle | Batch code | C2 2082, C2 2087, C2 2088 | Best before | March 2023 |
| IRN-BRU Regular | | | | | | | | | | | | | | | | | |
| Pack size | 750ml Glass Bottle | | | | | | | | | | | | | | | | |
| Batch code | C2 2083, C2 2084 | | | | | | | | | | | | | | | | |
| Best before | March 2023 | | | | | | | | | | | | | | | | |
| IRN-BRU 1901 | | | | | | | | | | | | | | | | | |
| Pack size | 750ml Glass Bottle | | | | | | | | | | | | | | | | |
| Batch code | C2 2082, C2 2087, C2 2088 | | | | | | | | | | | | | | | | |
| Best before | March 2023 | | | | | | | | | | | | | | | | |
| Source | Website of the FSA | | | | | | | | | | | | | | | | |

食物事故報表 Food Incident Post



食物安全中心
Centre for Food Safety

| | |
|-------------------------------|--|
| | https://www.food.gov.uk/news-alerts/alert/fsa-prin-28-2022 |
| Position of CFS | <ul style="list-style-type: none">• Information on product distribution outside the UK is not available from the website of the FSA. CFS is investigating whether the affected products have been imported to Hong Kong and is contacting the relevant authority for further information. Preliminary investigation did not identify local sale or import of the affected products.• Acquisition of the products through online purchase or international travel cannot be excluded.• Consumers should discard the products and not consume them.• CFS will remain vigilant and monitor for any new development and take appropriate actions when necessary.• Investigation by CFS is ongoing. |
| Additional information | NA |

Posted on: 3 May 2022