食物事故報表 Food Incident Post





Physics Department		1.0			
Heading		Rappel Conso of France – A notice regarding a recall of METRO			
		CHEF brand FARINE DE BLE NOIR (SARRASIN) 1KG METRO CHEF			
		buckwheat flour product due to the presence of Shiga toxin-			
	producing Escherichia coli (STEC) 0103.				
The		Rappel Conso of France issued a notice regarding a recall of			
incident		METRO CHEF brand FARINE DE BLE NOIR (SARRASIN) 1KG METR			
	CHEF buckwheat flour product due to the presence of Sh				esence of Shiga
		toxin-producing Escherichia coli (STEC) O103.			
		Recalled product:			
		FARINE DE BLE NOIR (SARRASIN) 1KG METRO CHEF (buckwheat			
		flour product)			
		Product	METRO CHEF		
		brand name			
		Model names	BUCKWHEAT FL	OUR 1KG ME	TRO CHEF
		or references			
		Product	<u>GTIN</u>	<u>Batch</u>	<u>Date</u>
		identification	3439495101751	113C\$10	Best before date
					24/10/2025
		Packaging	1KG PAPER BAG	<u> </u>	
		Details of product being recalled are listed in the website of the			
	Rappel Conso.				
Source		Website of the Rappel Conso (in French)			
		https://rappel.conso.gouv.fr/fiche-rappel/18177/Interne			
Position	of	The Centre for Food Safety (CFS) is investigating whether the			
CFS	affected product has been imported to Hong Kong ar contacting the relevant authority for further informa				0 0
					further information.
		Preliminary investigation did not identify local sale or import of			
		the affected product.			
		 Acquisition 	of the produc	ct through	online purchase or

食物事故報表 Food Incident Post





international travel cannot be excluded.

- Consumers should discard the product and not consume it.
- CFS will remain vigilant and monitor for any new development and take appropriate actions when necessary.
- Investigation by CFS is ongoing.
- Some strains of *E. coli* can cause diseases through the production of a toxin called Shiga toxin. These strains are called STEC. STEC infection is transmitted by faecal-oral route through contaminated food and water, or direct contact with STEC carrying animals. Moreover, due to poor personal hygiene, person-to-person transmission of this pathogen is possible through oral-faecal route. Symptoms of STEC infection include abdominal pain and watery diarrhoea that may in some cases progress to bloody diarrhoea. Fever and vomiting may also occur. Intestinal bleeding and serious complications such as haemolytic uraemic syndrome may also develop in some people. *E. coli*, including STEC, cannot survive under high temperature and can be killed by thorough cooking.

Additional information

NA

Posted on: 8 May 2025